



ENVIRONMENTAL PRODUCT DECLARATION

In accordance with EN 15804+A1:2013 and ISO 14025:2006

Dry construction mixtures

Publication date: 8.9.2021
Version: 2.0
Validity: 7.9.2026



The environmental aspects of this product have been assessed over its lifecycle. Its Environmental Product Declaration has been verified by an independent third party.

VERIFICATION N°
3013EPD—21-0254



General information

Manufacturer: Saint-Gobain Construction Products CZ a.s., Radiová 3, 102 00 Praha 10 – Štěrboholy
Factory site: Kostelecká 169, 281 63 Kozojedy

PCR identification: EN 15804+A1:2013 Sustainability of construction works – Environmental product declarations (Core rules for the product category of construction products).

Product / product family name and manufacturer represented:

This EPD describes the environmental impacts of 1kg of various dry construction mixtures (defined below) manufactured by Saint-Gobain Construction Products CZ a.s., division Weber in Kozojedy production site, Kozojedy 169, 281 63 Kostelec nad Černými lesy, Czech Republic.

Demonstration of verification: an independent verification of the declaration was made, according to ISO 14025:2006. This verification was external and conducted by a third party, based on the PCR mentioned above (see information below).

EPD Program	National Eco-labelling Program. For more information see www.cenia.cz
EPD Registration N°	3013EPD—21-0254
Date of publication	2021/09/08
EPD validity	5 years
EPD valid within the following geographical area	Scope includes manufacture and sale in Czech Republic
PCR review conducted by	CEN standard EN 15804+A1:2013 serves as the core PCR
Independent verification of the declaration and data, according to ISO 14025:2006	Building Research Institute – Certification Company Ltd. Výzkumný ústav pozemních staveb – Certifikační společnost, s.r.o. Pražská 810/16, 102 00 Prague 10, Czech Republic
Accredited or approved by	Czech Accreditation Institute (CAI) Olšanská 54/3, 130 00 Prague 3, Czech Republic



Product description

Product description and description of use:

This EPD is for a set of products Weber Saint-Gobain Construction Products CZ a.s., division Weber, from Kozojedy production site.

These are different products that are designed for use in different parts of buildings.

Product group for thermal insulation composite systems ETICS

- Adhesives and screeds

Group of products for tiling and paving

- Adhesives for tiling and paving, for selected products with the use of Low Dust technology

Product group for floors

- Self-leveling floor materials

Group of plaster and mortar mixtures

- Special mortars for ground bricks

Group of technical mortars

- Products for revitalisation of reinforced concrete structures

Description of the average product components and/or materials:

Product does not contain Substance of Very High Concern.

All raw materials contributing more than 5% to any environmental impact are listed in the following table.

Following table presents the material composition of average product from production site.

Constituent	Amount (%)
Sand	42
Cement	32
Limestone	25
Additives	> 2



LCA calculation information

FUNCTIONAL UNIT / DECLARED UNIT	Covering 1 kg of each of products
SYSTEM BOUNDARIES	Cradle To Grave
REFERENCE SERVICE LIFE (RSL)	according to the service life of the building / part of building
CUT-OFF RULES	1% of primary energy and total mass input of the unit process <5% of energy usage and mass for neglected input flows per stage
ALLOCATIONS	Based on mass repartition
GEOGRAPHICAL COVERAGE AND TIME PERIOD	Scope includes manufacture and sale in Czech Republic in 2019.

According to EN 15804+A1:2013, EPD of construction products may not be comparable if they do not comply with this standard. According to ISO 21930:2018, EPD might not be comparable if they are from different programmes.

Life cycle stages

Flow diagram of the Life Cycle




Figure 1: Life Cycle illustration of a product for construction

Product stage, A1 - A3

Description of the stage:

The product stage of the Weber products is subdivided into 3 modules A1, A2 and A3 respectively "Raw material supply", "transport" and "manufacturing".

The aggregation of the modules A1, A2 and A3 is a possibility considered by the EN 15804+A1:2013 standard. This rule is applied in this EPD.

Raw material supply – A1

This part takes into account the extraction and processing of all raw materials and energy which occurs upstream to the studied manufacturing process.

Specifically, the raw material supply covers sourcing (quarry) and production of all components and additives (e.g. cement, lime and others).

Transport to manufacturer – A2

The raw materials are transported to the manufacturing site. In this case, the modelling includes road transportations of each raw material, based on specific data for main inputs: sand, limestone and cement.

Manufacture – A3

This module includes manufacturing of products but also besides on-site activities such as drying, storing, mixing, packing and internal transportation.

The manufacturing process also collect data on the combustion of refinery products, such as diesel and gasoline, related to the production process.

Use of electricity, fuels and auxiliary materials in the production is taken into account too. The environmental profile of these energy carriers is modeled for local conditions.

Packaging-related flows in the production process and all up-stream packaging are included in the manufacturing module, i.e. composite bags (paper + PE film).

Apart from production of packaging material, the supply and transport of packaging material are also considered in the LCA model. They are reported and allocated to the module where the packaging is applied. Data on packaging waste created during this step are then generated.

Electricity:

Bought electricity used for manufacturing/mixing of the final product is 0,0102 kWh electricity/DU
The Czech electricity mix of 2019 was used for



Construction process stage, A4 - A5

Description of the stage:

Transport – A4

This module includes transport from the production gate to the building site.

Transport is calculated on the basis of a scenario with the parameters described in the following table.

Transport to the building site:

PARAMETER	VALUE (expressed per functional/declared unit)
Fuel type and consumption of vehicle or vehicle type used for transport e.g. long distance truck, boat, etc.	38L/100km for 24t load 43L/100km for 32t load
Distance	150 km
Capacity utilisation (including empty returns)	100 % for tanker lorries 30 % of empty returns
Volume capacity utilisation factor	1 (by default)

Construction installation process – A5

For the implementation of the product, handle electric agitator (1 400 W) is supposed. The mixing of product with water (0,24 l/DU) before application is recommended for 3 – 6 min (4,5 min for 25 kg of product as average is used for calculation).

End-of-life of packaging materials is reported and allocated to the module where it arises.

It is assumed that packaging waste generated in the course of installation (composite paper and LD-PE bag) is 100% collected and sanitary landfilled. Wooden pallets are re-using and repairing if it is needed.

Installation in the building:

PARAMETER	VALUE (expressed per functional/declared unit)
secondary materials for installation (specified by materials)	-
Water use	0,24 l of tap water
Other resource use	-
Quantitative description of energy type (regional mix) and consumption during the installation process	0,0042 kWh/DU
Wastage of materials on the building site before waste processing, generated by the product's installation (specified by type)	0 kg of manufactured product/DU
Output materials (specified by type) as results of waste processing at the building site e.g. of collection for recycling, for energy recovering, disposal (specified by route)	0,00186 kg is supposed for landfilling per DU
Direct emissions to ambient air, soil and water	-

Use stage (excluding potential savings), B1 - B7

Description of the stage:

The use stage is divided into the following modules:

Use – B1



Maintenance – B2

Repair – B3

Replacement – B4

Refurbishment – B5

Operational energy and water use – B6 and B7

Once installation is complete, no actions or technical operations are required during the use stages until the end-of-life stage. The product does not require any energy, water or material input to keep it in working order. Furthermore, it is not exposed to the indoor atmosphere of the building, nor is it in contact with the circulating water or the ground. For this reason, no environmental loads are attributed to any of the modules between B1 and B5.

End-of-life stage C1 - C4

Description of the stage:

The end-of-life stage is divided into the following modules:

Deconstruction – C1

The de-construction and/or dismantling of the product take part of the demolition of the entire building by the machine. It is calculated as 5 min. work of building machine (diesel, < 18.64 kW, high load factor) for 1 m³ building, so it is 3,7E-05 h work of building machine per DU.

Transport to waste processing – C2

The model use for the transportation calculates 50 km to landfill.

Waste processing – C3

The product is considered to be landfilled without reuse, recovery or recycling. It is classified as 'non-hazardous waste' in the European list of waste products.

Disposal –C4

The impact of landfill is taken into account according to available data.

Additional technical information of End-of-life:

PARAMETER	VALUE (expressed per functional/declared unit) / DESCRIPTION
Collection process specified by type	1 kg collected with mixed construction waste / DU
Recovery system specified by type	-
Disposal specified by type	1 kg non-hazardous (inert) waste landfilled / DU
Assumptions for scenario development (e.g. transportation)	Average truck trailer with 16 - 32 t payload, diesel consumption 38l/100km ; 50 km distance to landfill

Reuse/recovery/recycling potential, D

Post-consumer recycling scenarios are not considered within this EPD.








LCA results

Resume of the LCA data results are detailed on the following tables (pages 8 to 97).

Summary interpretation of the overall impacts are showed page 100.









webermel 700 (LZS 700) / weber for superflex (LOD 550) / webertherm clima (LZS 750)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 / A5	A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	1.79E-06	1.04E-06	3.84E-08	-	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	2.31E+00	4.70E-01	5.24E-02	-	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO ₂ equiv/FU	3.04E-01	3.22E-02	3.98E-03	-	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.72E-08	5.73E-09	2.05E-10	-	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	3.46E-05	4.33E-06	5.71E-07	-	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO ₄) ₃ -equiv/FU	2.90E-04	2.44E-05	2.21E-05	-	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO ₂ equiv/FU	8.23E-04	1.01E-04	1.53E-05	-	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
	A1 / A2 / A3	A4	A5	B1 - B7		C1	C2	C4	
		Transport	Installation			Demolition	Transport	Disposal	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.67E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.67E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	2.38E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	2.38E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m ³ /FU	7.87E-02	1.62E-03	1.11E-02	-	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES








Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	2.58E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	A1 / A2 / A3							
	3.06E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	A1 / A2 / A3							
	8.68E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	A1 / A2 / A3							
	1.04E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-

OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	A1 / A2 / A3							
	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	A1 / A2 / A3							
	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	A1 / A2 / A3							
	0	0	0	-	0	0	0	-











webertherm elastik (LZS 720)

ENVIRONMENTAL IMPACTS									
Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle	
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal		
		A1 / A2 / A3	B1 – B7		D Reuse, recovery, recycling				
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.35E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-	
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	3.43E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.89E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	2.10E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	4.75E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	3.67E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-	
 Acidification potential (AP) kg SO2equiv/FU	1.03E-03	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-	






RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	3.07E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	3.07E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	3.62E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	3.62E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m ³ /FU	1.11E-01	1.62E-03	1.11E-02	-	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3	1.26E-06	2.78E-08	B1 – B7	8.64E-09	4.20E-07	2.18E-07	D Reuse, recovery, recycling
	3.11E-06	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	
 Inert waste disposed kg/FU	A1 / A2 / A3	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
	9.63E-04	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	
 Radioactive waste disposed kg/FU	A1 / A2 / A3	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-
	1.28E-05							







OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3	0	0	B1 – B7	0	0	0	-
	0	0	0	-	0	0	0	
 Materials for recycling kg/FU	A1 / A2 / A3	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	
 Materials for energy recovery kg/FU	A1 / A2 / A3	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	
 Exported energy, detailed by energy carrier MJ/FU	A1 / A2 / A3	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	











Webernivelit (M 635)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	1.96E-06	1.04E-06	3.84E-08	-	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	2.80E+00	4.70E-01	5.24E-02	-	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.28E-01	3.22E-02	3.98E-03	-	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.58E-08	5.73E-09	2.05E-10	-	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	3.98E-05	4.33E-06	5.71E-07	-	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	3.07E-04	2.44E-05	2.21E-05	-	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	8.66E-04	1.01E-04	1.53E-05	-	-	1.06E-06	3.37E-05	3.78E-05	-




RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.23E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.23E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	2.92E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	2.92E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	5.75E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	2.58E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	3.18E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	8.99E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	9.91E-06	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











weberfor klasik (LOD 520)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3		A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	1.58E-06		1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	1.89E+00		4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	2.65E-01		3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.50E-08		5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	2.97E-05		4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	2.59E-04		2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	7.37E-04		1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.65E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.65E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	1.92E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.92E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m ³ /FU	5.03E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3 2.33E-06	1.26E-06	2.78E-08	B1 – B7 -	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	2.96E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	9.05E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	8.88E-06	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-



OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3 0	0	0	B1 – B7 -	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











weberfor flex (LOD 533) / weberfor duoflex (LOD 535)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	3.18E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-	
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	5.20E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	4.59E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	2.47E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	6.59E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	4.58E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-	
 Acidification potential (AP) kg SO2equiv/FU	1.24E-03	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-	



RESOURCE USE





Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4	A5		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	3.98E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	3.98E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	5.57E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	5.57E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m ³ /FU	1.34E-01	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	3.62E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	3.84E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	1.16E-03	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.45E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-

OUTPUT FLOWS

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











Weberdur štuk IN (MVJ 310)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage				Beyond the building life cycle
	A1 / A2 / A3	A4	A5	A6		C1	C2	C3	C4	
		Transport	Installation	B1 – B7	Demolition	Transport	Disposal			
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	9.74E-07	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-	-	
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	1.63E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	2.63E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.66E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	4.36E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	1.47E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-	-	
 Acidification potential (AP) kg SO2equiv/FU	5.05E-04	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-	-	







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.29E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.29E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	1.72E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.72E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	1.46E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	1.62E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	2.62E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
	9.69E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Inert waste disposed kg/FU	1.00E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-
 Radioactive waste disposed kg/FU								








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	-











weberfor profiflex (LOD 536 LD)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3	A3	A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.73E-06	1.04E-06	3.84E-08	-	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	4.78E+00	4.70E-01	5.24E-02	-	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	4.60E-01	3.22E-02	3.98E-03	-	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	2.71E-08	5.73E-09	2.05E-10	-	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	5.95E-05	4.33E-06	5.71E-07	-	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	4.25E-04	2.44E-05	2.21E-05	-	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	1.23E-03	1.01E-04	1.53E-05	-	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	3.56E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	3.56E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	5.08E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	5.08E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m3/FU	9.41E-02	1.62E-03	1.11E-02	-	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3 3.52E-06	1.26E-06	2.78E-08	B1 – B7 -	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	3.66E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	1.02E-03	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.61E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3 0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











weberfor fix (LOD 530)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3	A3	A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
		2.25E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	3.36E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-	
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	3.84E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	1.86E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	4.57E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	3.57E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	9.96E-04	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-	
 Acidification potential (AP) kg SO2equiv/FU									



RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	3.14E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	3.14E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	3.53E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	3.53E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m3/FU	7.22E-02	1.62E-03	1.11E-02	-	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	2.90E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-	
 Non-hazardous(excluding inert) waste disposed kg/FU	3.38E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-	
 Inert waste disposed kg/FU	9.62E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-	
 Radioactive waste disposed kg/FU	1.13E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-	








OUTPUT FLOWS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-	
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-	
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-	
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-	












weberfor profi (LOD 521 LD)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3		A4 Transport	A5 Installation	B1 – B7	C1 Demolition	C2 Transport	C4 Disposal	D Reuse, recovery, recycling
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	1.69E-06		1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	2.32E+00		4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.23E-01		3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.97E-08		5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	3.40E-05		4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	2.88E-04		2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	8.74E-04		1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3		A4 Transport	A5 Installation		B1-B7	C1 Demolition	C2 Transport	
		2.73E-01		8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable primary energy used as raw materials MJ/FU	2.73E-01		8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.37E+00		5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.92E-02		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of secondary material kg/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels - MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	4.25E-02		1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-
 Use of net fresh water - m ³ /FU									



WASTE CATEGORIES

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	2.68E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	3.15E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	9.34E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.17E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











Weberdur štuk EX (MVCJ 320)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3		A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	9.51E-07	1.04E-06	3.84E-08	-	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	1.40E+00	4.70E-01	5.24E-02	-	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	1.89E-01	3.22E-02	3.98E-03	-	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.29E-08	5.73E-09	2.05E-10	-	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	3.33E-05	4.33E-06	5.71E-07	-	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	1.43E-04	2.44E-05	2.21E-05	-	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	4.57E-04	1.01E-04	1.53E-05	-	-	1.06E-06	3.37E-05	3.78E-05	-





RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	1.88E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	1.88E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	1.44E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.44E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	1.63E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
		kg/FU	kg/FU		kg/FU	kg/FU	kg/FU	
 Hazardous waste disposed	1.52E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed	2.53E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed	9.53E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed	7.74E-06	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
		kg/FU	kg/FU		kg/FU	kg/FU	kg/FU	
 Components for re-use	0	0	0	-	0	0	0	-
 Materials for recycling	0	0	0	-	0	0	0	-
 Materials for energy recovery	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











Webermultiweb (UP 100)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
	A1/A2/A3	A4	A5	B1 - B7	C1	C2	C4		
		Transport	Installation		Demolition	Transport	Disposal		
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	1.34E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-	
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	1.73E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	2.90E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.28E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	2.57E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	2.49E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-	
 Acidification potential (AP) kg SO2equiv/FU	6.89E-04	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-	







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.05E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.05E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	1.77E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.77E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m3/FU	4.47E-02	1.62E-03	1.11E-02	-	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU  Non-hazardous(excluding inert) waste disposed kg/FU  Inert waste disposed kg/FU  Radioactive waste disposed kg/FU	A1/A2/A3	A4 Transport	A5 Installation	B1 – B7	C1 Demolition	C2 Transport	C4 Disposal	D Reuse, recovery, recycling
	2.07E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
	2.64E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
	4.67E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
	8.37E-06	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU  Materials for recycling kg/FU  Materials for energy recovery kg/FU  Exported energy, detailed by energy carrier MJ/FU	A1/A2/A3	A4 Transport	A5 Installation	B1 – B7	C1 Demolition	C2 Transport	C4 Disposal	D Reuse, recovery, recycling
	0	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	-











Weberbat výplň (OH 106)

ENVIRONMENTAL IMPACTS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3	A4 Transport	A5 Installation	B1 – B7	C1 Demolition	C2 Transport	C4 Disposal	D Reuse, recovery, recycling
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	1.36E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	1.76E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	2.70E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.40E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	3.22E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	2.25E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	6.76E-04	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 - B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	1.86E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	1.86E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	1.80E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.80E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m ³ /FU	2.75E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	2.13E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	2.93E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	9.06E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	8.85E-06	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-

OUTPUT FLOWS

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-









Webercolor klinker (WCK 10)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle	
	A1/A2/A3		A4 Transport	A5 Installation	B1 – B7	C1 Demolition	C2 Transport	C4 Disposal	D Reuse, recovery, recycling	
	1.98E-06	1.04E-06	3.84E-08	3.91E-10	3.48E-07	5.04E-08	3.12E-03	1.57E-01	1.45E-01	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	1.98E-06	1.04E-06	3.84E-08	3.91E-10	3.48E-07	5.04E-08	3.12E-03	1.57E-01	1.45E-01	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	2.85E+00	4.70E-01	5.24E-02	3.12E-03	1.57E-01	1.45E-01	2.32E-04	1.07E-02	5.16E-03	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.17E-01	3.22E-02	3.98E-03	3.97E-11	1.91E-09	1.72E-09	5.36E-08	2.47E-07	8.26E-06	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.52E-08	5.73E-09	2.05E-10	3.97E-11	1.91E-09	1.72E-09	5.36E-08	2.47E-07	8.26E-06	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	3.85E-05	4.33E-06	5.71E-07	5.36E-08	1.44E-06	1.57E-06	2.47E-07	8.26E-06	8.26E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	2.97E-04	2.44E-05	2.21E-05	2.47E-07	8.12E-06	8.26E-06	1.06E-06	3.37E-05	3.78E-05	-
 Acidification potential (AP) kg SO2equiv/FU	8.50E-04	1.01E-04	1.53E-05	1.06E-06	3.37E-05	3.78E-05	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
		1.93E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable primary energy used as raw materials MJ/FU	1.93E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.99E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	2.99E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of secondary material kg/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	5.09E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU  Non-hazardous(excluding inert) waste disposed kg/FU  Inert waste disposed kg/FU  Radioactive waste disposed kg/FU	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7	C1 Demolition	C2 Transport	C4 Disposal	D Reuse, recovery, recycling
	2.59E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
	3.26E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
	9.75E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
	9.81E-06	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU  Materials for recycling kg/FU  Materials for energy recovery kg/FU  Exported energy, detailed by energy carrier MJ/FU	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7	C1 Demolition	C2 Transport	C4 Disposal	D Reuse, recovery, recycling
	0	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	-
	0	0	0	-	0	0	0	-











webermix T (MC 903)

ENVIRONMENTAL IMPACTS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
		A1/A2/A3	B1 - B7					
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.09E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	2.62E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.77E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.81E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	3.93E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	3.34E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	9.50E-04	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 + A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	3.15E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	3.15E-01	8.73E-03	3.70E-03	-	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	2.69E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	2.69E+00	5.10E-01	5.71E-02	-	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m3/FU	6.19E-02	1.62E-03	1.11E-02	-	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3	1.26E-06	2.78E-08	B1 – B7	8.64E-09	4.20E-07	2.18E-07	D Reuse, recovery, recycling
 Non-hazardous(excluding inert) waste disposed kg/FU	2.79E-06	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	3.24E-02	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	8.56E-04	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-
1.08E-05								








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3	0	0	B1 – B7	0	0	0	D Reuse, recovery, recycling
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











weber for profiplus (LOD 530 LD)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	A4		C1	C2	C4	
			Transport	Installation	B1 – B7	Demolition	Transport	Disposal	D Reuse, recovery, recycling
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.26E-06	1.04E-06	3.84E-08	-	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	3.79E+00	4.70E-01	5.24E-02	-	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.93E-01	3.22E-02	3.98E-03	-	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	2.43E-08	5.73E-09	2.05E-10	-	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	4.86E-05	4.33E-06	5.71E-07	-	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	3.63E-04	2.44E-05	2.21E-05	-	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	1.07E-03	1.01E-04	1.53E-05	-	-	1.06E-06	3.37E-05	3.78E-05	-



RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3		A4 Transport	A5 Installation		B1-B7	C1 Demolition	C2 Transport	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	3.15E-01		8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	3.15E-01		8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	4.00E+00		5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	4.00E+00		5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels - MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m ³ /FU	7.36E-02		1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	3.13E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-	
 Non-hazardous(excluding inert) waste disposed kg/FU	3.39E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-	
 Inert waste disposed kg/FU	9.65E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-	
 Radioactive waste disposed kg/FU	1.44E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-	








OUTPUT FLOWS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-	
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-	
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-	
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-	













webertherm minus 7 (LZS 777)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3		A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.35E-06	1.04E-06	3.84E-08	3.91E-10	3.48E-07	5.04E-08	-	-	D Reuse, recovery, recycling
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	3.55E+00	4.70E-01	5.24E-02	3.12E-03	1.57E-01	1.45E-01	-	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.81E-01	3.22E-02	3.98E-03	2.32E-04	1.07E-02	5.16E-03	-	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.90E-08	5.73E-09	2.05E-10	3.97E-11	1.91E-09	1.72E-09	-	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	4.79E-05	4.33E-06	5.71E-07	5.36E-08	1.44E-06	1.57E-06	-	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	3.64E-04	2.44E-05	2.21E-05	2.47E-07	8.12E-06	8.26E-06	-	-	
 Acidification potential (AP) kg SO2equiv/FU	1.02E-03	1.01E-04	1.53E-05	1.06E-06	3.37E-05	3.78E-05	-	-	







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
		2.91E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable primary energy used as raw materials MJ/FU	2.91E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	3.73E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	3.73E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of secondary material kg/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	6.58E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	
 Use of net fresh water - m3/FU									



WASTE CATEGORIES

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A4	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Hazardous waste disposed kg/FU	3.02E-06	1.26E-06	2.78E-08	2.18E-07	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	3.59E-02	1.90E-02	2.23E-03	1.00E+00	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	1.07E-03	3.23E-05	1.13E-05	1.18E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.14E-05	3.25E-06	2.52E-07	9.68E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A4	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Components for re-use kg/FU	0	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	0	-	0	0	0	-











webertherm plus ultra (LZS 768)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.35E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-	
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	3.79E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.79E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.79E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	4.88E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	3.60E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-	
 Acidification potential (AP) kg SO2equiv/FU	9.96E-04	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-	







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.64E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.64E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	4.02E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	4.02E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	7.80E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5 Installation	A4 Transport		A5 Installation	C1 Demolition	C2 Transport	
 Hazardous waste disposed kg/FU	2.89E-06	1.26E-06	2.78E-08	-	B1 – B7	8.64E-09	4.20E-07	2.18E-07	D Reuse, recovery, recycling
 Non-hazardous(excluding inert) waste disposed kg/FU	3.40E-02	1.90E-02	2.23E-03	-	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	9.51E-04	3.23E-05	1.13E-05	-	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.12E-05	3.25E-06	2.52E-07	-	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	A4 Transport		A5 Installation	C1 Demolition	C2 Transport	
 Components for re-use kg/FU	0	0	0	-	B1 – B7	0	0	0	D Reuse, recovery, recycling
 Materials for recycling kg/FU	0	0	0	-	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	-	0	0	0	-











webertherm elastik Z (LZS 720Z)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.52E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-	
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	4.10E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.77E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.85E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	5.18E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	3.69E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-	
 Acidification potential (AP) kg SO2equiv/FU	1.01E-03	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-	







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 - B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.81E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.81E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	4.37E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	4.37E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	8.08E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3 2.96E-06	1.26E-06	2.78E-08	B1 – B7 -	8.64E-09	4.20E-07	2.18E-07	D Reuse, recovery, recycling -
 Non-hazardous(excluding inert) waste disposed kg/FU	3.48E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	1.02E-03	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.13E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3 0	0	0	B1 – B7 -	0	0	0	D Reuse, recovery, recycling -
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











weberbat opravná hmota (OH 101)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.66E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-	
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	3.12E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	4.24E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.91E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	4.57E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	4.11E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-	
 Acidification potential (AP) kg SO2equiv/FU	1.06E-03	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-	







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3		A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.58E-01		8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.58E-01		8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	3.24E+00		5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	3.24E+00		5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels- MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00		0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m3/FU	6.32E-02		1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
		A1 / A2 / A3	B1 – B7		D Reuse, recovery, recycling			
 Hazardous waste disposed kg/FU	3.48E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	4.22E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	9.37E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.22E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
		A1 / A2 / A3	B1 – B7		D Reuse, recovery, recycling			
 Components for re-use kg/FU	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











weberfor profi 1000 (LOD 530 LD)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5 Installation	B1 - B7		C1 Demolition	C2 Transport	C4 Disposal	
									D Reuse, recovery, recycling
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.87E-06	1.04E-06	3.84E-08	-	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	4.57E+00	4.70E-01	5.24E-02	-	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	4.56E-01	3.22E-02	3.98E-03	-	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	3.12E-08	5.73E-09	2.05E-10	-	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	6.47E-05	4.33E-06	5.71E-07	-	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	4.41E-04	2.44E-05	2.21E-05	-	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	1.27E-03	1.01E-04	1.53E-05	-	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	3.94E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	3.94E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	4.83E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	4.83E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	1.27E-01	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3	1.26E-06	2.78E-08	B1 – B7	8.64E-09	4.20E-07	2.18E-07	D Reuse, recovery, recycling
 Non-hazardous(excluding inert) waste disposed kg/FU	3.84E-06	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	3.81E-02	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.16E-03	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3	0	0	B1 – B7	0	0	0	D Reuse, recovery, recycling
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











webniveleit extra (M 640)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.91E-06	1.04E-06	3.84E-08	-	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	2.87E+00	4.70E-01	5.24E-02	-	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	2.69E-01	3.22E-02	3.98E-03	-	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.44E-08	5.73E-09	2.05E-10	-	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	3.97E-05	4.33E-06	5.71E-07	-	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	4.21E-04	2.44E-05	2.21E-05	-	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	8.75E-04	1.01E-04	1.53E-05	-	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 / A5	A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
					B1 – B7				D Reuse, recovery, recycling
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.46E-01	8.73E-03	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.46E-01	8.73E-03	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	3.00E+00	5.10E-01	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	3.00E+00	5.10E-01	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
 Use of net fresh water - m3/FU	8.07E-02	1.62E-03	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	2.70E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-	
 Non-hazardous(excluding inert) waste disposed kg/FU	3.46E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-	
 Inert waste disposed kg/FU	8.89E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-	
 Radioactive waste disposed kg/FU	8.38E-06	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-	








OUTPUT FLOWS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-	
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-	
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-	
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-	











weberrep ochrana (SAB 100)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3		A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	2.92E-06		1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	4.76E+00		4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	4.67E-01		3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	2.08E-08		5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	5.97E-05		4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	4.23E-04		2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	1.17E-03		1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.68E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.68E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	5.08E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	5.08E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	9.46E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	C1 Demolition		C2 Transport	C4 Disposal	D Reuse, recovery, recycling	
 Hazardous waste disposed kg/FU	3.34E-06	1.26E-06	2.78E-08	-	B1 – B7	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	3.73E-02	1.90E-02	2.23E-03	-	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	9.65E-04	3.23E-05	1.13E-05	-	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.33E-05	3.25E-06	2.52E-07	-	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	C1 Demolition		C2 Transport	C4 Disposal	D Reuse, recovery, recycling	
 Components for re-use kg/FU	0	0	0	-	B1 – B7	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	-	0	0	0	-












webertherm Technik (LZS 730)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
		3.28E-06	1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	6.03E+00	4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-	
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	4.35E-01	3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-	
 Global Warming Potential (GWP) kg CO2 equiv/FU	2.13E-08	5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-	
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	7.08E-05	4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-	
 Photochemical ozone creation (POPC) Ethene equiv/FU	4.58E-04	2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-	
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	1.20E-03	1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-	
 Acidification potential (AP) kg SO2equiv/FU									







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
		3.31E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	3.31E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	6.51E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	6.51E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m ³ /FU	1.27E-01	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	3.34E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	3.72E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	1.11E-03	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.29E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-

OUTPUT FLOWS

Parameters	Product stage A1 / A2 / A3	Construction process stage		Use stage B1 – B7	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











weberfloor 4150 (NIV 150 CZ)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3	A3	A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
		3.71E-06	1.04E-06	3.84E-08	3.91E-10	3.48E-07	5.04E-08		
Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	3.04E+00	4.70E-01	5.24E-02	3.12E-03	1.57E-01	1.45E-01			
Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	2.63E-01	3.22E-02	3.98E-03	2.32E-04	1.07E-02	5.16E-03			
Global Warming Potential (GWP) kg CO2 equiv/FU	1.51E-08	5.73E-09	2.05E-10	3.97E-11	1.91E-09	1.72E-09			
Ozone Depletion (ODP) kg CFC 11 equiv/FU	4.20E-05	4.33E-06	5.71E-07	5.36E-08	1.44E-06	1.57E-06			
Photochemical ozone creation (POPC) Ethene equiv/FU	4.60E-04	2.44E-05	2.21E-05	2.47E-07	8.12E-06	8.26E-06			
Eutrophication potential (EP) kg (PO4)3-equiv/FU	9.13E-04	1.01E-04	1.53E-05	1.06E-06	3.37E-05	3.78E-05			
Acidification potential (AP) kg SO2equiv/FU									







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3	A4	A5	B1-B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.48E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.48E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	3.19E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	3.19E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	8.45E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3 2.76E-06	1.26E-06	2.78E-08	B1 – B7 -	8.64E-09	4.20E-07	2.18E-07	D Reuse, recovery, recycling -
 Non-hazardous(excluding inert) waste disposed kg/FU	3.46E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	9.80E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	8.54E-06	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3 0	0	0	B1 – B7 -	0	0	0	D Reuse, recovery, recycling -
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











webertec imper F (SAB 183)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3		A4 Transport	A5 Installation		B1-B7	C1 Demolition	C2 Transport	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	4.15E-06		1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	4.65E+00		4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	5.21E-01		3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	2.69E-08		5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	8.00E-05		4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	5.54E-04		2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	1.70E-03		1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle D Reuse, recovery, recycling
	A1 / A2 / A3	A4	A5	A6		C1	C2	C4	
		Transport	Installation	B1 – B7	Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.99E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.99E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	4.79E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	4.79E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	8.52E-02	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	C1 Demolition		C2 Transport	C4 Disposal		
 Hazardous waste disposed kg/FU	5.77E-06	1.26E-06	2.78E-08	-	B1 – B7	8.64E-09	4.20E-07	2.18E-07	D Reuse, recovery, recycling
 Non-hazardous(excluding inert) waste disposed kg/FU	7.45E-02	1.90E-02	2.23E-03	-	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	2.49E-03	3.23E-05	1.13E-05	-	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.50E-05	3.25E-06	2.52E-07	-	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	C1 Demolition		C2 Transport	C4 Disposal		
 Components for re-use kg/FU	0	0	0	-	B1 – B7	0	0	0	D Reuse, recovery, recycling
 Materials for recycling kg/FU	0	0	0	-	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	-	0	0	0	-











weberfloor epox (NIV EPOX)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3		A4 Transport	A5 Installation		B1 – B7	C1 Demolition	C2 Transport	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	4.56E-06		1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	4.05E+00		4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.08E-01		3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.64E-08		5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	5.09E-05		4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	5.23E-04		2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	9.94E-04		1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	B1 – B7		C1	C2	C4	
		Transport	Installation		Demolition	Transport	Disposal		
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.65E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.65E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	4.35E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	4.35E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	1.14E-01	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	2.95E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-	
 Non-hazardous(excluding inert) waste disposed kg/FU	3.48E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-	
 Inert waste disposed kg/FU	6.86E-04	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-	
 Radioactive waste disposed kg/FU	9.19E-06	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-	








OUTPUT FLOWS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-	
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-	
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-	
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-	











weberfloor 4160 (NIV 160 CZ)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 – B7		C1 Demolition	C2 Transport	C4 Disposal	
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	4.73E-06	1.04E-06	3.84E-08	-	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	4.28E+00	4.70E-01	5.24E-02	-	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	3.25E-01	3.22E-02	3.98E-03	-	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	1.78E-08	5.73E-09	2.05E-10	-	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	5.55E-05	4.33E-06	5.71E-07	-	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	5.45E-04	2.44E-05	2.21E-05	-	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	1.11E-03	1.01E-04	1.53E-05	-	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	A6		C1	C2	C4	
		Transport	Installation	B1 – B7	Demolition	Transport	Disposal	D Reuse, recovery, recycling	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	2.75E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	2.75E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	4.55E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	4.55E+00	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m ³ /FU	1.15E-01	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	3.26E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	3.86E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	1.08E-03	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.00E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-



weberfor profiflex R (LOD 537 LD)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3		A4 Transport	A5 Installation	B1 – B7	C1 Demolition	C2 Transport	C4 Disposal	D Reuse, recovery, recycling
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	6.50E-06		1.04E-06	3.84E-08	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	6.67E+00		4.70E-01	5.24E-02	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	5.27E-01		3.22E-02	3.98E-03	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	3.39E-08		5.73E-09	2.05E-10	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	1.25E-04		4.33E-06	5.71E-07	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	8.40E-04		2.44E-05	2.21E-05	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	1.61E-03		1.01E-04	1.53E-05	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1/A2/A3		A4 Transport	A5 Installation		B1 - B7	C1 Demolition	C2 Transport	
		1.12E+00	8.73E-03	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03
Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Use of renewable primary energy used as raw materials MJ/FU	1.12E+00	8.73E-03	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	7.23E+00	5.10E-01	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Use of non-renewable primary energy used as raw materials MJ/FU	7.23E+00	5.10E-01	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.92E-02	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Use of secondary material kg/FU	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-
Use of net fresh water - m ³ /FU	2.32E-01	1.62E-03	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-



WASTE CATEGORIES









Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3 4.83E-06	1.26E-06	2.78E-08	B1 – B7	8.64E-09	4.20E-07	2.18E-07	D Reuse, recovery, recycling
 Non-hazardous(excluding inert) waste disposed kg/FU	5.41E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	1.33E-03	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	1.72E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-

OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3 0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	A6		C1	C2	C4	
		Transport	Installation	B1 – B7	Demolition	Transport	Disposal	D Reuse, recovery, recycling	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	5.80E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	5.80E-01	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	2.12E+01	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	2.12E+01	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	4.60E-01	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
		A1 / A2 / A3	B1 – B7		D Reuse, recovery, recycling			
 Hazardous waste disposed kg/FU	6.87E-06	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	6.23E-02	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	1.89E-03	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	2.33E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-








OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
		A1 / A2 / A3	B1 – B7		D Reuse, recovery, recycling			
 Components for re-use kg/FU	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	0	0	0	-	0	0	0	-











webersan odsolovací (SAB 863)

ENVIRONMENTAL IMPACTS

Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	A5		B1 – B7	C1	C2	
		Transport	Installation			Demolition	Transport	Disposal	D
 Abiotic depletion potential for non-fossil resources (ADP-elements) kg Sb equiv/FU	1.81E-05	1.04E-06	3.84E-08	-	-	3.91E-10	3.48E-07	5.04E-08	-
 Abiotic depletion potential for fossil resources (ADP-fossil fuels) MJ/FU	1.43E+01	4.70E-01	5.24E-02	-	-	3.12E-03	1.57E-01	1.45E-01	-
 Global Warming Potential (GWP) kg CO2 equiv/FU	1.24E+00	3.22E-02	3.98E-03	-	-	2.32E-04	1.07E-02	5.16E-03	-
 Ozone Depletion (ODP) kg CFC 11 equiv/FU	8.81E-08	5.73E-09	2.05E-10	-	-	3.97E-11	1.91E-09	1.72E-09	-
 Photochemical ozone creation (POPC) Ethene equiv/FU	2.90E-04	4.33E-06	5.71E-07	-	-	5.36E-08	1.44E-06	1.57E-06	-
 Eutrophication potential (EP) kg (PO4)3-equiv/FU	2.98E-03	2.44E-05	2.21E-05	-	-	2.47E-07	8.12E-06	8.26E-06	-
 Acidification potential (AP) kg SO2equiv/FU	5.17E-03	1.01E-04	1.53E-05	-	-	1.06E-06	3.37E-05	3.78E-05	-







RESOURCE USE





Parameters	Product stage		Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
	A1 / A2 / A3	A4	A5	A4		C1	C2	C4	
		Transport	Installation	B1 – B7	Demolition	Transport	Disposal	D Reuse, recovery, recycling	
 Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	1.52E+00	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) MJ/FU	1.52E+00	8.73E-03	3.70E-03	-	1.79E-05	2.91E-03	1.26E-03	-	
 Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	1.45E+01	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of non-renewable primary energy used as raw materials MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	1.45E+01	5.10E-01	5.71E-02	-	3.38E-03	1.70E-01	1.56E-01	-	
 Use of secondary material kg/FU	1.92E-02	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of renewable secondary fuels- MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of non-renewable secondary fuels - MJ/FU	0.00E+00	0.00E+00	0.00E+00	-	0.00E+00	0.00E+00	0.00E+00	-	
 Use of net fresh water - m3/FU	4.52E-01	1.62E-03	1.11E-02	-	4.57E-06	5.40E-04	6.62E-03	-	



WASTE CATEGORIES

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Hazardous waste disposed kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	4.05E-05	1.26E-06	2.78E-08	-	8.64E-09	4.20E-07	2.18E-07	-
 Non-hazardous(excluding inert) waste disposed kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	1.47E-01	1.90E-02	2.23E-03	-	3.98E-06	6.33E-03	1.00E+00	-
 Inert waste disposed kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	1.08E-02	3.23E-05	1.13E-05	-	9.67E-08	1.08E-05	1.18E-05	-
 Radioactive waste disposed kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	4.13E-05	3.25E-06	2.52E-07	-	2.22E-08	1.08E-06	9.68E-07	-

OUTPUT FLOWS

Parameters	Product stage	Construction process stage		Use stage	End-of-life stage			Beyond the building life cycle
		A4 Transport	A5 Installation		C1 Demolition	C2 Transport	C4 Disposal	
 Components for re-use kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	0	0	0	-	0	0	0	-
 Materials for recycling kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	0	0	0	-	0	0	0	-
 Materials for energy recovery kg/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	0	0	0	-	0	0	0	-
 Exported energy, detailed by energy carrier MJ/FU	A1 / A2 / A3			B1 – B7				D Reuse, recovery, recycling
	0	0	0	-	0	0	0	-





Use of net fresh water

Fresh water is naturally occurring water on the Earth's surface (ice, lakes, rivers, groundwater, etc.) It is generally characterized by having low concentrations of dissolved salts; the term specifically excludes seawater and brackish water.

Waste categories



Hazardous waste disposed

This kind of waste poses substantial or potential threats to public health or the environment



Non-hazardous waste disposed

This kind of waste is a waste that can burn, produce chemical, physical or biological reaction but without being hazardous or toxic for human health (e.g. PE, PVC, PS, metals, non-treated wood, construction waste mixed with non-mineral waste without any hazardous substance inside, etc.).



Radioactive waste disposed

These kinds of wastes contain radioactive material. Radioactive wastes are usually by-products or nuclear power generation and other applications of nuclear fission or nuclear technology, such research and medicine. Radioactive waste is hazardous to most forms of life and the environment, and is regulated by government in order to protect human health and the environment.

Output flows



Components for re-use

To re-use is to use again after it has been used: this includes conventional reuse where the item is used again for the same function and new-life reuse where it is used for a different function.



Material for recycling

In contrast with re-use, recycling is the breaking down of the used item into raw materials which are used to make new items.



Materials for energy recovery

It includes any technique or method of minimizing the input of energy to an overall system by the exchange of energy from one sub-system to another.



Exported energy

It relates to energy exported from waste incineration and landfill



LCA results interpretation



[1] Tento ukazatel odpovídá těmto emisím z fosilních zdrojů.

[2] Tento ukazatel odpovídá celkovému využití primární energie.

[3] Tento ukazatel odpovídá využití pitné vody.

[4] Tento ukazatel odpovídá součtu nebezpečných, ostatních a radioaktivních odpadů.

Comments:

With the graphic view above, it is possible to assess which steps of the LCA are the most impacting for the chosen indicators

- The main environmental impacts of the product life cycle come from extraction and processing of raw materials (A1-A3). The Product stage is responsible for over 90 % of the impact for following indicators: Global Warming, Non-renewable resources consumption, Energy consumption and Water consumption.
- As expected, waste production is mainly generated (over 90 %) during the end-of-life stage with building demolition.
- The formula mix and distribution pattern have identifiable impacts on the total



Additional information

Integrated management system policy

Saint-Gobain Construction Products CZ a.s., division Weber has released Integrated management system policy as part of the integrated management system.

The efforts and commitments set out in this policy are also based on the "Charter EHS", by which the Saint-Gobain group declares its aim to achieve the so-called "Target Zero" - or if:

- no occupational accidents,
- no occupational diseases, and
- no non-recyclable waste.

For more information, see CSR (Corporate Sustainability Report) at www.saint-gobain.com.

The production process in all Weber plants in the Czech Republic meets the international standards ČSN EN ISO 9001:2016, ČSN EN ISO 14001:2016, ČSN EN ISO 50001:2019 a ČSN ISO 45001:2018. The proof of that is certificate identification number: 10374403, valid at the time of issue of EPD.



LEED & BREEAM

Several different methods have been developed to assess buildings for sustainable development. Worldwide, American LEED and British BREEAM are the most widespread. All of these methods are based on a scoring system that assesses a set of individual sustainability criteria.

Eligible credits for Weber products:

LEEDv4	
INC1	thermal insulation systems are undergoing continuous innovation in terms of materials and design solutions

MRC1	EPD environmental data can be used at building level
MRC2	the product has a third party verified EPD and a comparison with industry average
MRC3	Corporate Sustainability report is available
MRC4	Health Certificate (HPD), process documentation according to EMS (EN ISO 14001:2015), product composition according to CASRN, REACH protocol, documentation of supply Chain are available
BREEAM 2016	
Hea 04	allows to achieve the appropriate level of thermal comfort and model the thermal behavior of a building by providing BIM (Building Information Modeling)
Mat 01	EPD can be used for LCA at building level
Mat 02	process documentation according to EMS (EN ISO 14001:2015)
Mat 03	product recognizes and encourages the specification and procurement of responsibly sourced construction products

More detailed information on the use of EPD in LEED and BREEAM certification systems is available in the SG publication for environmental certification of buildings.

More info at <https://www.cz.weber/> or at info@weber-terranova.cz.



Data Quality

Scope: Czech Republic

Period: 2019

Background information is taken from the Ecoinvent 3 database, trade association or suppliers data.

Raw Materials	Generic database, trade association and supplier data
Production	Own specific data (2019)
Transport	Generic and specific data
Application	Generic and specific data
Life in Use	Generic data
End of Life	Generic data
Energy	Generic average Czech Republic (2019)

References

1. EN 15804+A1:2013, Sustainability of construction works – Environmental product declaration – core rules of the product category of construction products
2. ISO 14025:2006 environmental labels and declarations – type III Environmental Declarations Principles and procedure
3. ISO 14040:2006 Environmental management – Life Cycle Assessment – Principles and framework
4. ISO 14044:2006 Environmental management – Life Cycle Assessment – Requirements and guidelines

