

Environmental Product Declaration



In accordance with ISO 14025:2006 and EN 15804:2012+A2:2019/AC:2021 for:

Adhesives and Base Coats

from

Baumit, spol. s r.o.

Programme:	„National Environmental Labelling Program“ - Czech Republic (NPEZ)
Programme operator:	Ministry of the Environment of the Czech Republic, CENIA, Czech Environmental Information Agency, executive function of the NPEZ Agency
EPD registration number:	3015-EPD-030066326
Publication date:	2024-10-03
Valid until:	2029-02-16



An EPD should provide current information and may be updated if conditions change.



General information

Programme information

Programme:	"National Environmental Labeling Program" - Czech Republic (NPEZ)
Address:	Ministry of the Environment of the Czech Republic Department of Voluntary Instruments 100 10 Praha 10, Vršovická 1442/65
Website:	www.mzp.cz , www.cenia.cz
E-mail:	info@mzp.cz

Accountabilities for PCR, LCA and independent, third-party verification	
Product Category Rules (PCR)	
CEN standard EN 15804 serves as the Core Product Category Rules (PCR)	
UN CPC kód: 37510 Non-refractory mortars and concretes	
Life Cycle Assessment (LCA)	
LCA accountability: <i>Ing. Jaromír Žumár, Ph.D; Baumit, spol. s. r.o.</i>	
Third-party verification	
Independent third-party verification of the declaration and data, according to ISO 14025:2006, via:	
<input checked="" type="checkbox"/> EPD verification by accredited certification body	
Third-party verification: Technický a zkušební ústav stavební Praha, s.p. is an approved certification body accountable for the third-party verification. 190 00 Praha 9, Prosecká 811/76a, CZ	
The certification body is accredited by: Českým institutem pro akreditaci, o.p.s., Osvědčení č. 458/2023	
Verifier: Ing. Lenka Vrbová	 
Procedure for follow-up of data during EPD validity involves third party verifier:	
<input type="checkbox"/> Ano <input checked="" type="checkbox"/> ne	

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but registered in different EPD programmes, or not compliant with EN 15804, may not be comparable. For two EPDs to be comparable, they must be based on the same PCR (including the same version number) or be based on fully-aligned PCRs or versions of PCRs; cover products with identical functions, technical performances and use (e.g. identical declared/functional units); have equivalent system boundaries and descriptions of data; apply equivalent data quality requirements, methods of data collection, and allocation methods; apply identical cut-off rules and impact assessment methods (including the same version of characterisation factors); have equivalent content declarations; and be valid at the time of comparison. For further information about comparability, see EN 15804 and ISO 14025.

Company information

**Owner of the EPD: Baumit, spol. s r.o., Průmyslová 1841, 250 01
Brandýs nad Labem, CZ**

Contact:

Ing. Jaromír Žumár, Ph.D.

Description of the organisation:

Baumit is a leading manufacturer of building materials and systems for facades, interiors and rough construction in the Czech Republic. It is based in Brandýs nad Labem and is part of the international Baumit Group with pan-European scope. The Baumit company focuses on the development and production of innovative and high-quality building products that meet the highest standards in the field of energy efficiency, aesthetics and sustainability.

Baumit's product range includes facade plasters, paints, insulation systems, plasters, concrete, screeds, adhesives for tiling and paving and other building materials. The company provides comprehensive solutions for the modernization and renovation of buildings, as well as for new construction, including consulting, training and technical support for customers and professional builders.

Baumit in the Czech Republic emphasizes innovation and research and develops products that not only meet current requirements for efficiency and sustainability, but also anticipate future trends in the construction industry. The company is also active in the field of social responsibility, supporting projects focused on environmental protection and support of local communities.

Product or management system related certifications:

The quality of the products is ensured by an effective quality management system according to EN ISO 9001 and is in accordance with the technical regulations regarding the type of product.

Name and location of production site(s):

- Cukrovarská 864, 196 00 Praha 9 – Čakovice
- Areál EDĚ, 735 71 Dětmorovice

Product information

Product name: Adhesives and Base Coats

Product description:

Adhesives and Base Coats are mainly used as components of insulation systems, where Adhesives and Base Coats of various useful properties are used to stick insulation boards and at the same time as the first layer outside the insulation board as a base for further modifications. Specifically, these are products under the trade names:

- Baumit DuoContact
- Baumit ProContact
- Baumit ProContact DC 56
- Baumit StarContact
- Baumit openContact
- Baumit NivoFix
- Baumit SpeedContact

Main areas of use:

- Bonding of thermal insulation boards
- Plastering of thermal insulation boards
- Screeding of mineral substrates

UN CPC kód: 37510 Non-refractory mortars and concretes

Geographical scope:

The generic data used from the Ecoinvent database are used with validity for the Czech Republic (e.g. energy inputs) and in the event that data for the Czech Republic are not available, data valid for the EU or according to the location of the supplier are used. Based on the evaluation according to EN 15804+A2, Annex E, tab. E.1 the generic data used meet the quality level - medium.

Product packaging:

The products are delivered in accordance with the standards indicated in the product description. The majority of products are stored on pallets with spacers for transport.

Environment and health during use

During the entire production process, it is not necessary to take any special health protection measures beyond the legally specified industrial protection measures for production employees.

LCA information

Functional unit / declared unit:

The declared unit is 1 kg of the average manufactured product – Adhesives and Base Coats.

Designation	Unit	Value
Declared unit	kg	1
Conversion factor to 1 kg	kg	1

Reference service life:

The reference lifetime is not declared. These are construction products with many different application purposes. The service life is limited by the service life of the structures where the product is used. The service life is assumed to be 25 years.

Time representativeness:

For specific data, the manufacturer's data for the **year 2023** is used. For generic data, data from the Ecoinvent database version 3.8 is used. Based on the evaluation according to EN 15804+A2, Annex E, tab. E.1 the generic data used meet the quality level - very good.

Database(s) and LCA software used:

SimaPro calculation software, version 9.4 SimaPro Analyst, Ecoinvent database version 3.8.

Description of system boundaries:

- Cradle to gate with options, modules C1–C4, module D and with optional modules (A1–A3 + C + D and additional modules). Module A4 – transport to the construction site (from the construction phase) is used as an additional module.

The production phase includes the following modules:

- **A1** - extraction and processing of raw materials and production of packaging from input raw materials
Extraction and processing of raw materials for the average recipe of Adhesives and Base Coats (weighted arithmetic average, weights represent the quantity produced)
- **A2** - transport of input raw materials from the supplier to the manufacturer, waste removal
Accounted the transport of raw materials in the distances from the supplier to the individual production plant, the input data is the result of a weighted arithmetic mean of tkm; for waste, the transport of waste from both plants to the relevant waste processor was calculated analogously and a weighted arithmetic average was used according to the quantity produced in both plants
- **A3** - production of products, production of auxiliary materials and semi-finished products, energy consumption, including waste processing until reaching a state where it ceases to be waste or after removal of the last material residues during the production phase.
- **A4** - transport to the construction site. Transport is carried out by truck with a capacity of 7.5 - 16 t (EURO 5). Transport of the declared product unit over a distance of 1 km is considered.

The end-of-life phase includes modules:


- **C1**, deconstruction, demolition; product from the building, including its dismantling or demolition, including the initial sorting of materials at the construction site.
Decomposition and/or disassembly of the product is assumed as part of the replacement of the insulation system, which includes the product. The insulation system assumes a service life of 25 years. Manual disassembly is assumed, it is assumed that the impact on the environment is very small and can be neglected.
- **C2**, transport to the waste processing site; transportation of discarded product as part of waste processing, e.g. to a recycling site, and transportation of waste, e.g. to a final disposal site.
The transport from the dismantled building is carried out by a truck with a capacity of 7.5 - 16 t (EURO 5) to the inert material dump as a demolition of a mixed building, estimated transport distance: 50 km to the recycling center or to the dump, workload 2.
- **C3**, waste treatment for reuse, recovery and/or recycling; e.g. collection of fractions of waste from deconstruction, and processing of waste from material flows intended for reuse, recycling and energy use.
A scenario is assumed where 100% of the product during the dismantling of the insulation system is deposited in an inert landfill as construction waste is assumed.
- **C4**, waste disposal, including its pre-treatment and management of the disposal site.
100 % of the dismantled product is disposed of as mixed construction debris at an inert material landfill, without taking into account the energy use of landfill gas from (small) organic components.

Benefits and costs beyond the product system boundary are presented in module D.

Module D includes:

- **D**, potential for reuse, recovery and/or recycling, expressed in terms of net impacts or benefits.
In the module D scenario, the saving of primary raw materials in another product system is not taken into account. The potential for reuse, recovery or recycling of this product is not included in the Module D scenario. Therefore, no benefits beyond the product system are reported.

System diagram:



More information:

Information module **A5** from the construction phase was not included in the LCA due to the difficult availability of input data and is therefore not declared.

Information modules from the use phase **B1 to B7** are also not declared, as these types of products, assuming correct use, do not require maintenance, repair or replacement during the normal life time in the use phase. They also do not require energy or water consumption during the use phase.

For the study, all operational data related to the consumption of main and auxiliary materials for the production of the product, energy data, diesel consumption and the distribution of annual waste production and emissions according to plant records were taken. In terms of produced waste, only those wastes that are clearly related to production activities were included in the analysis.

The processes required for the installation of production equipment and the construction of infrastructure were not included in the analysis. Also, administrative processes are not included – inputs and outputs are balanced per production phase.

Modules declared, geographical scope, share of specific data (in GWP-GHG results) and data variation (in GWP-GHG results)::

	Product stage			Construction process stage		Use stage							End of life stage				Resource recovery stage
	Raw material supply	Transport	Manufacturing	Transport	Construction installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery-Recycling-potential
Module	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Modules declared	x	x	x	x	ND	ND	ND	ND	ND	ND	ND	ND	x	x	x	x	x
Geography	GLO	GLO, EU	EU, CZ	EU									EU	EU	EU	EU	GLO, EU
Specific data used	>99 %					-	-	-	-	-	-	-	-	-	-	-	-
Variation – products	<10 %					-	-	-	-	-	-	-	-	-	-	-	-
Variation – sites	<5 %					-	-	-	-	-	-	-	-	-	-	-	-

The data used to calculate the EPD conforms to the following principles:

Technological point of view: Data corresponding to the current production of individual types of partial products of the plant and corresponding to the current state of the technologies used are used. Based on the evaluation according to EN 15804+A2, Annex E, tab. E.1 the generic data used meet the quality level - very good.

The aspect of completeness and completeness: Most of the input data is based on consumption balances, which are precisely recorded in the manufacturer's information system. The reliability of the source of specific data is determined by the uniformity of the collection methodology of the information system.

Consistency point of view: Uniform points of view are used throughout the report (allocation rules, age of data, technological scope of validity, temporal scope of validity, geographical scope of validity).
Credibility aspect: All important data were checked for adherence to cross-comparison of mass balances.

Content information

Product components	Weight %	Post-consumer material, weight-%	Biogenic carbon content in kg C/DU
Fine sand components	60 %	0	0
Cement	20 %	0	0
Ground ingredients	16 %	0	0
Further ingredients	<5 %	0	0
		0	0
TOTAL	100	0	0
Packaging materials	Weight %	Weight-% (versus the product)	Biogenic carbon content in kg C/DU
Packaging film (LDPE)	7,6	0,03	0
Paper packaging	75,1	0,32	0
Pallets	17,3	0,07	0,0062
		0	0
		0	0
		0	0
TOTAL	100	0,42	0,0062

Dangerous substances from the candidate list of SVHC for Authorisation	EC No.	CAS No.	Weight-% per functional or declared unit (DU)
None	-	-	-

Substances listed on the list of substances of very high concern subject to authorization by the European Chemicals Agency are not contained in the product in declarable quantities.

Results of the environmental performance indicators

Mandatory impact category indicators according to EN 15804:2012+A2:2019/AC:2021

Results per functional or declared unit

Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ ekv.	2,56E-01	1,97E-04	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	2,41E-02	0,00E+00	6,00E-03	0,00E+00
GWP-biogenic	kg CO ₂ ekv.	-2,55E-02	7,25E-08	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	1,92E-05	0,00E+00	1,79E-05	0,00E+00
GWP- luluc	kg CO ₂ ekv.	1,82E-03	9,97E-08	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	1,08E-05	0,00E+00	1,12E-06	0,00E+00
GWP - total	kg CO ₂ ekv.	2,33E-01	1,97E-04	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	2,41E-02	0,00E+00	6,02E-03	0,00E+00
ODP	kg CFC 11 ekv.	3,06E-09	2,87E-12	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	5,10E-10	0,00E+00	1,96E-10	0,00E+00
AP	mol H ⁺ ekv.	6,63E-04	6,80E-07	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	7,30E-05	0,00E+00	3,65E-05	0,00E+00
EP-freshwater	kg P ekv.	3,96E-05	1,56E-08	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	1,62E-06	0,00E+00	2,64E-07	0,00E+00
EP- marine	kg N ekv.	1,92E-04	2,24E-07	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	2,50E-05	0,00E+00	1,59E-05	0,00E+00
EP - terrestrial	mol N ekv.	1,94E-03	2,37E-06	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	2,64E-04	0,00E+00	1,71E-04	0,00E+00
POCP	kg NMVOC ekv.	6,26E-04	9,15E-07	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	1,09E-04	0,00E+00	6,77E-05	0,00E+00
ADP- minerals& metals*	kg Sb ekv.	5,01E-07	6,14E-10	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	7,48E-08	0,00E+00	5,96E-09	0,00E+00
ADP-fossil*	MJ	2,62E+00	2,70E-03	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	3,30E-01	0,00E+00	1,44E-01	0,00E+00
WDP*	m ³	4,98E-02	1,22E-05	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	1,27E-03	0,00E+00	5,24E-04	0,00E+00

Acronyms **GWP-fossil** = Global Warming Potential fossil fuels; **GWP-biogenic** = Global Warming Potential biogenic; **GWP-luluc** = Global Warming Potential land use and land use change; **ODP** = Depletion potential of the stratospheric ozone layer; **AP** = Acidification potential, Accumulated Exceedance; **EP-freshwater** = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; **EP-marine** = Eutrophication potential, fraction of nutrients reaching marine end compartment; **EP-terrestrial** = Eutrophication potential, Accumulated Exceedance; **POCP** = Formation potential of tropospheric ozone; **ADP-minerals&metals** = Abiotic depletion potential for non-fossil resources; **ADP-fossil** = Abiotic depletion for fossil resources potential; **WDP** = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

Additional mandatory and voluntary impact category indicators

Results per functional or declared unit

Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-GHG ¹	kg CO ₂ ekv.	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PM	Disease incidence	5,85E-09	1,53E-11	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	1,60E-09	0,00E+00	9,22E-10	0,00E+00
IRP	kBq U235 ekv.	1,24E-02	2,30E-06	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	5,33E-04	0,00E+00	1,37E-04	0,00E+00
ETP- fw	CTUe	5,92E-01	1,32E-03	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	1,45E-01	0,00E+00	5,25E-02	0,00E+00
HTP-c	CTUh	5,36E-11	4,56E-14	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	4,99E-12	0,00E+00	1,00E-12	0,00E+00
HTP- nc	CTUh	6,33E-10	8,57E-13	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	9,09E-11	0,00E+00	2,67E-11	0,00E+00
SQP	dimensionless	2,79E+00	1,61E-03	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	1,69E-01	0,00E+00	2,97E-01	0,00E+00
Acronyms	<p>GWP-GHG = this indicator includes all greenhouse gases except biogenic uptake and emissions of carbon dioxide and biogenic carbon stored in the product; as such the indicator is identical to GWP-total except that the CF for biogenic CO₂ is set to zero, PM = Potential incidence of disease due to PM emissions, IRP = Potential Human exposure efficiency relative to U235, ETP-fw = Potential Comparative Toxic Unit for ecosystems, HTP-c = Potential Comparative Toxic Unit for humans, HTP-nc = Potential Comparative Toxic Unit for humans, SQP = Potential soil quality index</p>															

¹ This indicator accounts for all greenhouse gases except biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. As such, the indicator is identical to GWP-total except that the CF for biogenic CO₂ is set to zero.

Resource use indicators

Results per functional or declared unit

Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	5,98E-01	3,44E-05	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	5,75E-03	0,00E+00	2,86E-03	0,00E+00
PERM	MJ	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	5,98E-01	3,44E-05	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	5,75E-03	0,00E+00	2,86E-03	0,00E+00
PENRE	MJ	2,80E+00	2,88E-03	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	3,51E-01	0,00E+00	1,53E-01	0,00E+00
PENRM	MJ	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	2,80E+00	2,88E-03	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	3,51E-01	0,00E+00	1,53E-01	0,00E+00
SM	kg	9,33E-07	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m ³	7,72E-06	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

Acronyms

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; **PERM** = Use of renewable primary energy resources used as raw materials; **PERT** = Total use of renewable primary energy resources; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; **PENRM** = Use of non-renewable primary energy resources used as raw materials; **PENRT** = Total use of non-renewable primary energy re-sources; **SM** = Use of secondary material; **RSF** = Use of renewable secondary fuels; **NRSF** = Use of non-renewable secondary fuels; **FW** = Use of net fresh water

Additional environmental information - Waste indicators

Results per functional or declared unit

Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Non-hazardous waste disposed	kg	5,58E-03	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	1,00E+00	0,00E+00
Radioactive waste disposed	kg	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

Additional environmental information - Output flow indicators

Results per functional or declared unit

Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	kg	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	1,20E-04	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,20E-06
Exported energy, thermal	MJ	0,00E+00	0,00E+00	ND	ND	ND	ND	ND	ND	ND	ND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,64E-05

The result tables shall only contain values or the letters "ND" (Not Declared). It is not possible to specify ND for mandatory indicators. ND shall only be used for voluntary parameters that are not quantified because no data is available.

References

- ČSN ISO 14025:2010 Environmentální značky a prohlášení - Environmentální prohlášení typu III - Zásady a postupy (Environmental labels and declarations - Type III environmental declarations - Principles and procedures)
- ČSN EN 15804+A2:2020 Udržitelnost staveb - Environmentální prohlášení o produktu - Zásadní pravidla pro produktovou kategorii stavebních výrobků (Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products)
- ČSN EN ISO 14040:2006 Environmentální management - Posuzování životního cyklu - Zásady a osnova (Environmental management - Life Cycle Assessment - Principles and Framework)
- ČSN EN ISO 14044:2006 Environmentální management - Posuzování životního cyklu – Požadavky a směrnice (Environmental management - Life Cycle Assessment – Requirements and guidelines)
- ČSN ISO 14063:2007 Environmentální management - Environmentální komunikace - Směrnice a příklady (Environmental management - Environmental communication - Guidelines and examples)
- ČSN EN 15643-1:2011 Udržitelnost staveb - Posuzování udržitelnosti budov - Část 1: Obecný rámec (Sustainability of construction works - Sustainability assessment of buildings - Part 1: General framework)
- ČSN EN 15643-2:2011 Udržitelnost staveb - Posuzování udržitelnosti budov - Část 2: Rámec pro posuzování environmentálních vlastností (Sustainability of construction works - Assessment of buildings - Part 2: Framework for the assessment of environmental performance)
- ČSN EN 15942:2013 Udržitelnost staveb - Environmentální prohlášení o produktu - Formát komunikace mezi podniky (Sustainability of construction works - Environmental product declarations - Communication format business-to-business)
- TNI CEN/TR 15941:2012 Udržitelnost staveb - Environmentální prohlášení o produktu - Metodologie výběru a použití generických dat (Sustainability of construction works - Environmental product declarations - Methodology for selection and use of generic data)
- ČSN EN 16449:2014 Dřevo a výrobky na bázi dřeva - Výpočet obsahu biogenního uhlíku ve dřevě a přeměny na oxid uhličitý (Wood and wood-based products - Calculation of the biogenic carbon content of wood and conversion to carbon dioxide)
- ILCD handbook - JRC EU, 2011
- Zákon č. 541/2020 Sb. v platném znění (Zákon o odpadech); Act No. 541/2020 Coll., as amended (Waste Act)
- Vyhláška č. 8/2021 Sb. Katalog odpadů – Katalog odpadů, (Decree No. 8/2021 Coll. Waste catalogue – Waste catalogue)
- Nařízení Evropského parlamentu č. 1907/2006 o registraci, hodnocení, povolování a omezování chemických látek a o zřízení Evropské agentury pro chemické látky - REACH (registrace, evaluace a autorizace chemických látek); (Regulation (EC) No 1907/2006 of the European Parliament concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency - REACH (Registration, Evaluation and Authorisation of Chemicals)
- Nařízení Evropského parlamentu a Rady (ES) č. 1272/2008 o klasifikaci, označování a balení látek a směsí, o změně a zrušení směrnic 67/548/EHS a 1999/45/ES a o změně nařízení (ES) č. 1907/2006 (nařízení CLP),
- SimaPro LCA Package, Pré Consultants, the Netherlands, www.pre-sustainability.com
- Ecoinvent Centre, www.Ecoinvent.org
- Explanatory documents are available from the head of Technical Support of the EPD owner.